This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 07/15/2004

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/841,972	04/25/2001	Thanabalan Paul	7703/34	6201
7590 07/15/2004			EXAM	INER
BILL BAKER			PATEL, NIKETA I	
,	NC. TREVION II BROOK ROAD		ART UNIT	PAPER NUMBER
SUITE 206			2182	
GERMANTOW	N, MD 20874		210	

Please find below and/or attached an Office communication concerning this application or proceeding.

RECEIVED JUL 2 9 2004 Technology Center 2100

	Application No.	Applicant(s)			
	09/841,972	PAUL ET AL.			
Office Action Summary	Examiner	Art Unit			
	Niketa I. Patel	2182			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply if NO period for reply is specified above, the maximum statutory period who really received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	s6(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) day rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status		·			
3) Since this application is in condition for allowant closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims	Fair				
4) Claim(s) <u>1-27</u> is/are pending in the application.		RECEIVED			
4a) Of the above claim(s) is/are withdrav 5) Claim(s) is/are allowed.	vn from consideration.	JUL 2 9 2004			
6)⊠ Claim(s) <u>1-27</u> is/are rejected.	Tech	nology Center 2100			
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or	election requirement.				
Application Papers					
9)⊠ The specification is objected to by the Examine	r.				
10)⊠ The drawing(s) filed on 03 January 2002 is/are:	a)⊠ accepted or b)□ objected	to by the Examiner.			
Applicant may not request that any objection to the					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	-(d) or (f).			
a) ☐ All b) ☐ Some * c) ☐ None of:					
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of	of the certified copies not receive	d.			
Attachment(s)	-				
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date		atent Application (PTO-152)			
.S. Patent and Trademark Office		· · · · · · · · · · · · · · · · · · ·			

DETAILED ACTION

Specification

- 1. The Applicant is kindly requested to update the stats of the related application listed on page of the disclosure.
- 2. The disclosure is objected to because of the following informalities: no line number on abstract, specification and claims. Appropriate correction is required. The preferred format for numbering the claims is to number each line of every claim, with each claim beginning with line 1. For ease of reference by both the Examiner and Applicant, all future correspondence should include the recommended line numbering.
- 3. Claim 1 is objected to because of the following informalities: line 9 recites, 'the client QoS negotiatior', the term 'negotiator' is misspelled. Appropriate correction is required.
- 4. Claims 22 and 26 are objected to because of the following informalities: line 2 of claims 22 and 26 is missing a period ('.') at the end of the sentence. Appropriate correction is required.

Art Unit: 2182

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) The invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 6. Claims 1-12 and 19-27 are rejected under 35 U.S.C. 102(e) as being anticipated by Arunachalam et al. U.S. Patent Number: 6,631,122 (hereinafter referred to as "Arunachalam".)
- 7. Referring to claim 1, Arunachalam teaches a method for providing quality of service for applications in multiple transport protocol environments [see column 3 lines 50-67] which comprises: creating a QoS negotiation request for a client application at a client QoS negotiator [see column 4 lines 16-42, column 5 lines 54-67, column 8 lines 54-67, column 9 lines 1-18, column 11 lines 17-30 and figure 3 element 207]; transmitting the QoS negotiation request from the client QoS negotiator to a server QoS negotiator [see column 4 lines 16-42, column 5 lines 54-67, column 8 lines 54-67, column 9 -

Art Unit: 2182

lines 1-18, column 11 - lines 17-30 and figure 3 - element 301]; adjusting server QoS parameters in response to the QoS negotiation request [see column 11 - lines 17-30]; creating a QoS negotiation response at the server QoS negotiator, the QoS negotiation response containing connection information and server QoS information [see column 4 - lines 16-42, column 5 lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; transmitting the QoS negotiation response to the client QoS negotiator [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 lines 1-18, column 11 - lines 17-30]; adjusting client QoS parameters in response to the QoS negotiation response [see column 11 - lines 17-30]; and connecting the client application to a server application using the connection information and the server QoS information [see column 4 - lines 16-42, column 5 lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30.]

71

1

, A.,

14.

8. Referring to claim 2, Arunachalam teaches the method further comprising: monitoring the client QoS parameters and the server QoS parameters as the client application and the server application communicate [see column 11 - lines 17-54]; detecting changes in network conditions and data requirements of the client application and the server application [see column 11 -

推路

10

100

7.5

. No. 12

Application/Control Number: 09/841,972

Art Unit: 2182

lines 17-54]; and adjusting the client QoS parameters and the server QoS parameters in response to said changes [see column 11 - lines 17-54.]

- 9. Referring to claim 3, Arunachalam teaches the method wherein the step of adjusting server QoS parameters further comprises adjusting server bandwidth, server buffer, and server cache parameters [see column 4 lines 16-41, 60-64, 'resources'.]
- 10. Referring to claim 4, Arunachalam teaches the method wherein the step of adjusting client QoS parameters further comprises adjusting client bandwidth, client buffer, and client cache parameters [see column 4 lines 16-41, 60-64, 'resources'.]
- 11. Referring to claim 5, Arunachalam teaches a method for providing dynamic profile management for a client which comprises: receiving an application profile request from a client application [see column 4 lines 16-42, column 5 lines 54-67, column 8 lines 54-67, column 9 lines 1-18, column 11 lines 17-30]; constructing a QoS request for the client application [see column 4 lines 16-42, column 5 lines 54-67, column 8 lines 54-67, column 9 lines 1-18, column 11 lines 17-30]; transmitting the QoS request to a server [see column 4 lines 16-42, column 5 lines 54-67, column 8 lines 54-67,

1

1

150

Art Unit: 2182

column 9 - lines 1-18, column 11 - lines 17-30]; receiving a QoS response from the server [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; adjusting client settings based upon the QoS response [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; and connecting the client application to a server application residing at the server using connection information and server QoS information stored in the QoS response [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30.]

12. Referring to claim 6, Arunachalam teaches the method further comprising: monitoring the client application for changes in data requirements [see column 11 - lines 17-54]; detecting changes in network conditions at the client [see column 11 - lines 17-54] sending a second QoS request to the server in response to the changes in data requirements or the changes in network conditions [see column 11 - lines 17-54]; receiving a second QoS response from the server [see column 11 - lines 17-54]; and adjusting the client parameters in response to the second QoS response [see column 11 - lines 17-54.]

 $, \Sigma_{\underline{c}}^{i_{\alpha}}.$

Art Unit: 2182

- 13. Referring to claim 7, Arunachalam teaches the method further comprising repeating the steps of claim 6 until execution of the client application terminates [see column 11 lines 17-54.]
- 14. Referring to claim 8, Arunachalam teaches the method wherein the step of constructing the QoS request further comprises: identifying application type information and application QoS requirements [see column 11 lines 8-16]; and storing the application type information and application QoS requirements in the QoS request [see column 6 lines 29-51.]
- 15. **Referring to claim 9**, Arunachalam teaches the method wherein the step of adjusting client settings further comprises setting bandwidth, buffer, and queue parameters of the client [see column 4 lines 16-41, 60-64, 'resources'.]
- 16. Referring to claim 10, Arunachalam teaches a method for providing dynamic profile management for a server which comprises: receiving a QoS request originating from a client at the server [see column 4 lines 16-42, column 5 lines 54-67, column 8 lines 54-67, column 9 lines 1-18, column 11 lines 17-30]; constructing a QoS response containing connection information and server QoS information [see column 4 lines 16-42, column 5 lines 54-67, column 8 lines 54-67, column 9 lines 1-18, column 11 lines 17-30]; adjusting server

1.7.

1.,

3

5 Q

áy,

Art Unit: 2182

parameters in response to the QoS request [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; transmitting the QoS response to the client [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; and connecting a server application residing at the server to a client application based upon the connection information and server QoS information [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30.]

- 17. Referring to claim 11, Arunachalam teaches the method further comprising: receiving a second QoS request send by the client in response to changes in data requirements or network conditions [see column 11 lines 17-54]; adjusting server parameters in response to the second QoS request [see column 11 lines 17-54]; creating a second QoS response; and transmitting the second QoS response to the client [see column 11 lines 17-54.]
- 18. **Referring to claim 12**, Arunachalam teaches the method wherein the step of adjusting server parameters further comprises setting bandwidth, buffer, and queue parameters of the server [see column 4 lines 16-41, 60-64, 'resources'.]

F)3'

27

Art Unit: 2182

- 19. Referring to claim 19, Arunachalam teaches a generic quality of service architecture comprising: a client QoS negotiator in communication with a client application [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; a server QoS negotiator in communication with a server application [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; a generic QoS protocol accessible by the client QoS negotiator and the server QoS negotiator [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; and a generic QoS API for configuring, monitoring, and maintaining the client QoS negotiator, the server QoS negotiator, and the generic QoS protocol [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30.]
- 20. Referring to claim 20, Arunachalam teaches wherein said client QoS negotiator is disposed above and communicates with a client socket layer [see column 4 lines 16-42, column 5 lines 54-67, column 8 lines 54-67, column 9 lines 1-18, column 11 lines 17-30.]
- 21. **Referring to claim 21**, Arunachalam teaches the architecture wherein said client socket layer further comprises ATM, RSVP,

7

3 6

. 3

* 55.

Application/Control Number: 09/841,972

Art Unit: 2182

TCP/UDP, and IPv6 protocols [see column 12 - lines 59-67, column 13 - lines 1-9 and column 6 - lines 13-20.]

- 22. Referring to claim 22, Arunachalam teaches the architecture wherein said server QoS negotiator is disposed above and communicates with a server socket layer [see column 4 lines 16-42, column 5 lines 54-67, column 8 lines 54-67, column 9 lines 1-18, column 11 lines 17-30.]
- 23. **Referring to claim 23**, Arunachalam teaches the architecture wherein said server socket layer further comprises ATM, RSVP, TCP/UDP, and IPv6 protocols [see column 12 lines 59-67, column 13 lines 1-9 and column 6 lines 13-20.]
- 24. Referring to claim 24, Arunachalam teaches the architecture wherein the client QoS negotiator negotiates a QoS profile with the server QoS negotiator by exchanging messages and sharing information through the generic QoS protocol [see column 4 lines 16-42, column 5 lines 54-67, column 8 lines 54-67, column 9 lines 1-18, column 11 lines 17-30.]
- 25. Referring to claim 25, Arunachalam teaches the architecture wherein the client QoS negotiator sets local bandwidth, buffer, and cache parameters for the client application [see column 4 lines 16-41, 60-64, 'resources'.]
- 26. Referring to claim 26, Arunachalam teaches the architecture wherein the server QoS negotiator sets local bandwidth, buffer,

Art Unit: 2182

and cache parameters for the server application [see column 4 - lines 16-41, 60-64, 'resources'.]

27. Referring to claim 27, Arunachalam teaches the architecture wherein the client QoS negotiator and the server QoS negotiator connect the client application to the server application based upon the QoS profile [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30.]

Claim Rejections - 35 USC § 103

- 28. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 29. Claims 13-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Arunachalam et al. U.S. Patent Number: 6,631,122 (hereinafter referred to as "Arunachalam".)
- 30. **Referring to claim 13**, Arunachalam teaches a generic quality of service protocol comprising: a client information storage unit [see column 4 lines 16-42, column 5 lines 54-

Art Unit: 2182

67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 lines 17-30]; a proxy information storage unit [see column 4 lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; an application profile information storage unit [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; means for storing transport QoS profile information [see column 4 - lines 16-42, column 5 lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; means for storing per-protocol QoS profile information [see column 4 - lines 16-42, column 5 lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; and means for storing QoS map order information however does not set forth the limitation of an ICMP header for transmitting the protocol as an out-of-band message.

It would have been obvious to one of ordinary skill in the art at the time of applicant's invention that it was old and well known in the computer art to get the advantage of reporting errors such as out-of-band to other peer machines by using the Internet Control Message Protocol header. It would have been obvious to one of ordinary skill in the art at the time of applicant's invention to include ICMP header to get this advantage.

Art Unit: 2182

- Referring to claim 14, Arunachalam as modified in claim 13 31. above teaches, the protocol wherein said client information storage unit further comprises: means for storing operating system type information [see column 4 - lines 16-42, column 5 lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; means for storing workstation configuration information [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; means for storing processor architecture information [see column 4 - lines 16-42, column 5 lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; and means for storing network architecture information [see column 4 - lines 16-42, column 5 lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]
- 32. Referring to claim 15, Arunachalam as modified in claim 13 above teaches, the protocol wherein said proxy information storage unit further comprises: means for storing proxy IP addresses [see figure 3 element 301]; and means for storing proxy port numbers [see figure 3 element 301.]
- 33. **Referring to claim 16**, Arunachalam as modified in claim 13 above teaches, the protocol wherein said application profile information storage unit further comprises: means for storing

Application/Control Number: 09/841,972

Art Unit: 2182

application source information [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; means for storing application class information [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; means for storing application bandwidth requirements [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; means for storing data transfer rates [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; and means for storing response times [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30.]

34. Referring to claim 17, Arunachalam as modified in claim 13 above teaches, the protocol wherein said means for storing transport QoS profile information further comprises: means for storing protocol available client protocols [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30]; and means for storing server protocol grants [see column 4 - lines 16-42, column 5 - lines 54-67, column 8 - lines 54-67, column 9 - lines 1-18, column 11 - lines 17-30.]

Art Unit: 2182

35. Referring to claim 18, Arunachalam as modified in claim 13 above teaches, the protocol wherein said means for storing perprotocol QoS profile information further comprises: means for storing ATM connection information [see column 3 - lines 50-67]; and means for storing ATM address information [see column 3 - lines 50-67.]

Conclusion

36. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following documents have been made record of to further show the state of the art as it pertains to the quality of service negotiation:

Zinky et al. U.S. Patent Number: 6,691,148

Li et al. U.S. Patent Number: 6,728,365

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Niketa I. Patel whose telephone number is (703) 305 4893. The examiner can normally be reached on M-F 8:00 A.M. to 5:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey A. Gaffin can be reached on (703) 308 3301. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2182

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

NP

07/09/2004

FREY GAFFIN

GERNISTARY PATERT EXAMINATION

		•		C.O. I ATEM DOCUMENTS	
*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
	Α	US-6,631,122	10-2003	Arunachalam et al.	370/332
	В	US-6,691,148	02-2004	Zinky et al.	709/201
	С	US-6,728,365	04-2004	Li et al.	379/329
	D	US-			
	Е	US-			
	F	US-			
	G	US-			
	Н	US-			
	T	US-			
	J	US-			
	к	US-			
	L	US-			
	М	US-			

FOREIGN PATENT DOCUMENTS

			_	0.112.011 17112111 200		· · · · · · · · · · · · · · · · · · ·
*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	0					
	Р					
	Q					<u>, , , , , , , , , , , , , , , , , , , </u>
	R					
	s					
	Т					· .

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	v	
	w	
	х	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.